
DuploCOLL® HCR Range

Heat & Chemical Resistance.





Customer benefits:

- The use of a high strength pure acrylic adhesive with an exceptionally high resistance to temperatures, guarantees maximum resistance to ageing and UV-radiation
- The adhesive has good to excellent resistance to oil, grease
- Excellent chemical resistance according FINAT 17 FTM 1
- · The high initial adhesion (tack) offers high application security immediately after mounting
- Excellent die-cutting properties
- High electrical insulating properties

Application fields:

- · Making a wide variety of panels, emblems, front panels and membrane switches self-adhesive
- Suitable for internal and external applications
- · Bonding to glass, metal, ceramics, high energy plastics
- · Application for the electronic industry for PCB bonding



DuploCOLL® HCR Range

Heat & Chemical Resistance.

Products:

DuploCOLL® 101 HCR

PE paper white

Pure acrylic 50 µm

Art No: 11 00 16

DuploCOLL® 103 HCR

PE paper white

Pure acrylic 130 µm

Art No: 11 00 17

Finat 17 FTM 1 results

DuploCOLL® 102 HCR

PE paper white

Pure acrylic 100 µm

Art No: 11 00 28

DuploCOLL® 15250 HCR

Brown Silicone paper

Pure acrylic 250µm

Art No: 11 19 30

